

Overview

Azumo's next generation OB (Optical Bonding) front light maintains all of the benefits of LCD 2.0 technology with the added benefit of cover lens and touch film compatibility. LCD 2.0 can be used seamlessly in any lighting condition: from dark spaces to bright, direct sunlight. Sharp's reflective, MIP LCD technology enables Azumo's patented lightguide technology to deliver high quality images with ultra-low power consumption, extending the battery life of your device. The active matrix MIP LCD integrated with a highly efficient front light offers a superior user experience for a variety of applications where outdated, static HMI no longer suffices.

- ✓ OB - Optical bonding capable (**cover lens & touch film compatible**)
- ✓ **Sufficient brightness** as low as 6 mW
- ✓ SPI interface for **simple connectivity**
- ✓ 0.05mm thick, Azumo film is over **5x thinner** than alternative light guides
- ✓ **Less power** compared to a backlit LCD
- ✓ Superior **readability** in all lighting conditions
- ✓ **Intrinsically safe** with wide temperature range
- ✓ Active matrix MIP LCD enables **dynamic menu-driven, multi page HMI**



[View Product Specifications](#)

Sharp Display P/N	LS027B7DH01
Resolution	400 (H) x 240 (V)
Active Area	58.8 mm (H) x 35.28 mm (V)
PPI	173
Display Colors	B&W
Outline	62.8 mm (W) x 42.82 mm (H) x 1.64 mm (D)
Display Thickness	1.91 mm
Display Power Consumption (Static Image)	50µW
Display Power Supply Voltage	5.0V (Analog) & 5.0V (Digital)
Response Time, Rise + Fall	10 + 20 ms
Interface	SPI
Front Light Power Supply Voltage	3.0 V
Front Light Power Consumption	6 - 75 mW
Front Light Brightness, Typ	21 nits at 60mW
Front Light Brightness Uniformity, Typ	54
Contrast Ratio - Front Light ON	12
Viewing Angle - Front Light ON	45/40° (H) & 70/80° (V)
Storage temperature (C°)	-30°C ~ 80°C
Operating temperature (C°)	-20°C ~ 70°C

These product sheets are the proprietary product of Azumo, Inc. and may not be reproduced in any form without the express written consent of Azumo. The application examples in these specification sheets are provided to explain the representative applications of the device and are not intended to guarantee any industrial property right or other rights or license you to use them. Azumo assumes no responsibility for any problems related to any industrial property right of a third party resulting from the use of the device. Azumo reserves the right to make changes to the specifications, characteristics, data, materials, structures and other contents at any time without notice in order to improve design or reliability. Azumo takes no responsibility for damage caused by improper use of the device. Contact a Azumo sales representative for any questions about using this device.

***Preliminary data. May be updated as testing continues. Latest update: 10/02/2023**

Azumo and the Azumo logo are trademarks of Azumo, Inc. ©2023 Azumo, Inc. All rights reserved.